

## INDEX TO VOLUME 56

Classified entries: major subjects, key words, and results; botanical names (new names are in **boldface**); geographical areas; reviews, commentaries. Incidental references to taxa (including most lists and tables) are not indexed separately. Species appearing in Noteworthy Collections are indexed under name, family, and state or country. Authors and titles are listed alphabetically by author in the Table of Contents to the volume.

*Achillea filipendulina*, noteworthy collection from MT, 67.  
*Ajuga reptans*, noteworthy collection from MT, 67.

*Aliciella triodon*, noteworthy collection from ID, 130, and OR, 132.

Alkali meadow, effects of fire and groundwater extraction on habitat, 89.

*Alliaria petiolata*, noteworthy collection from MT, 67.

*Amphicarpaea bracteata*, noteworthy collection from WY, 134.

*Anoda pentaschista*, naturalized in CA, 110.

Araceae (see *Peltandra*)

**Arceuthobium abietinum** subsp. *wiensii*, new subsp., 118;  
A. *oaxacanum* and A. *rubrum* in Mexico, 99.

*Arctostaphylos*: A. *viscida*, ecology and growth in ponderosa pine forest in southwest OR, 238.

Noteworthy collection: A. *rainbowensis* from CA, 212.

Asteraceae: *Hazardia orcuttii*, soil community characteristics, 237; *Hedemora todsenii*, in vitro propagation, cryopreservation and genetic analysis, 221; *Holocarpha macradenia*, effect of terrestrial mollusc herbivory in CA coastal prairie, 1.

Noteworthy collections: From CA: *Hesperevax acanthis* var. *ambusticola*, 212 from ID: *Prenanthes exigua*, 130; from MT: *Achillea filipendulina*, *Symphytum molle*, 67.

*Astragalus*: A. *jaegerianus*, effects of dust deposition on growth and physiology, 81.

Noteworthy collections: A. *diversifolius* from WY, 134; A. *tenellus* from OR, 132.

*Boerhavia pterocarpa*, noteworthy collection from NM, 295.

Boraginaceae: New taxon: **Phacelia hubbyi**, 205.

Noteworthy collections: *Cryptantha gracilis* from OR, 133; *Plagiobothrys salsus* from MT, 67.

Brassicaceae: *Streptanthus barbiger* and S. *vernalis* relationship, 43.

New taxon: **Streptanthus oblanceolatus**, 127.

Noteworthy collections: From MT: *Alliaria petiolata*, 67; from OR: *Caulanthus crassicaulis*, 132, *Physaria cobrensis*, 131.

*Bromus rubens* (see *Coleogyne*)

Bryophyta: Amblystegiaceae (see *Limbella*)

California: Alkali meadow, effects of fire and groundwater extraction on habitat, 89; *Astragalus jaegerianus*, effects of dust deposition on growth and physiology, 81; *Chorizanthe parryi* var. *fernandina*, reproductive biology, 23; C. subsection *pungentes* molecular phylogeny with emphasis on the C. *pungentes*-C. *robusta* complex phylogeography, 168; Emerald Lake Basin, Sequoia Nat. Park, plant communities and floristic diversity, 184; *Eriogonum parvifolium*, extreme root proliferation, 58; *Eucalyptus*, diversity, reproduction and potential invasiveness, 155; *Hazardia orcuttii*, soil community characteristics, 237; *Holocarpha macradenia*, effect of terrestrial mollusc herbivory in coastal prairie, 1; Jepson, Willis, and his “Phyto-jogs”, 49;

*Juglans californica* and *Juniperus californica*, historical range extensions Rancho Muscupiabe, San Bernardino Co., 199; *Juncus marginatus*, status in CA, 283; Malvaceae, notes on taxa, including nomenclatural changes and additions to the flora, 104; Pine Hill, El Dorado Co., vegetation and flora of a biodiversity hot spot, 246; plant community water use and invasibility of semi-arid shrublands by woody species, 213; streamside revetment effect in *Sequoia sempervirens* forests, 71; *Streptanthus barbiger* and S. *vernalis* relationship, 43.

New Taxa: **Phacelia hubbyi**, 205; **Sidalcea asprella** subsp. *nana*, S. *calycosa* subsp. *rhizomata*, S. *celata*, S. *sparsifolia*, new combinations, 104; S. *gigantea*, 285; **Streptanthus oblanceolatus**, 127.

Noteworthy collections: *Arctostaphylos rainbowensis*, 212; *Cotoneaster frigidus*, C. *horizontalis*, 64; *Dasya sessilis*, *Gratelouzia lanceolata*, G. *turuturu*, 293; *Hesperevax acaulis* var. *ambusticola*, 212; *Juncus anthelatus*, 130; J. *falcatus* subsp. *sitchensis*, J. *interior*, 65; J. *nevadensis* var. *inventus*, 66; J. *planifolius*, 130; *Geranium yeoi*, 130; *Lepechinia rossii*, 63; *Neosiphonia harveyi*, 294; *Prunus speciosa*, P. *bedoensis*, *Schizymenia dubyi*, 64.

California Botanical Society (see Jepson, Willis)

Carex: C. *scirpoidea* var. *gigas*, type determination, 279.

Noteworthy collections: From CO: C. *conoidea*, 66; from WY: C. *foenea*, C. *intumescens*, 134; C. *scoparia*, 135.

*Caulanthus crassicaulis*, noteworthy collection from OR, 132.

Chaparral: Comparison of short-term effects of two fuel treatments, 8; *Hazardia orcuttii*, soil community characteristics, 237; plant community water use and invasibility of semi-arid shrublands by woody species in southern CA, 213.

Chorizanthe: C. *parryi* var. *fernandina*, reproductive biology, 23; C. subsection *pungentes* molecular phylogeny with emphasis on the C. *pungentes*-C. *robusta* complex phylogeography, 168.

Coastal prairie (see *Holocarpha*)

Coastal sage: *Hazardia orcuttii*, soil community characteristics, 237; plant community water use and invasibility of semi-arid shrublands by woody species in southern CA, 213.

*Coleogyne ramosissima*, interactive effects of simulated herbivory and interspecific competition on seedling survival, 149.

*Collomia renata*, noteworthy collection from OR, 133.

Colorado: Noteworthy collections: Carex *conoidea*, 66; C. *frigidus*, Sorbus *aucuparia*, 211.

Competition, interspecific (see *Coleogyne*)

Compositae (see Asteraceae)

*Cotoneaster*: Noteworthy collections: From CA: C. *frigidus*, C. *horizontalis*, 64; from CO: C. *lucidus*, 211.

Cruciferae (see Brassicaceae)

Cryopreservation (see *Hedemora*)

*Cryptantha gracilis*, noteworthy collection from OR, 133.

Cupressaceae (see *Juniperus*)

Cyperaceae: *Carex scirpoidea* var. *gigas*, type determination, 279. Noteworthy collections from WY, *Carex foenea*, *C. intumescens*, 134; *C. scoparia*, *Fimbristylus puberula* var. *interior*, *Scirpus pendulus*, 135.

*Dasya sessilis*, noteworthy collection from CA, 293.

Dasyaceae (see *Dasya*)

*Distichlis spicata* (see Alkali meadow)

*Dodecatheon pulchellum*, noteworthy collection from OR, 132.

Dryopteridaceae (see *Dryopteris*)

*Dryopteris cristata*, noteworthy collection from WA, 68.

Editors' Report for Vol. 56, 297.

Elatinaceae (see *Elatine*)

*Elatine brachysperma*, noteworthy collection from OR, 134.

Ericaceae (see *Arctostaphylos* and *Vaccinium*)

*Eriogonum parvifolium*, extreme root proliferation, 58.

Noteworthy collections: *E. hookeri* from OR, 132; *E. palmerianum* from ID, 131.

*Eucalyptus*, diversity, reproduction and potential invasiveness in CA, 155.

Fabaceae: *Astragalus jaegerianus*, effects of dust deposition on growth and physiology, 81.

Noteworthy collections: *Amphicarpaea bracteata* from WY, 134; *Astragalus diversifolius* from WY, 134; *A. tenellus* from OR, 132; *Trifolium leibergii* from OR, 133.

Farlow, W. G., 112.

*Finibristyus puberula* var. *interior*, noteworthy collection from WY, 135.

Fire: Effects of fire and groundwater extraction on alkali meadow, 89; comparison of two fuel treatments on chaparral communities, 8; early post-fire establishment on a Mojave Desert burn, 137.

Floras: Emerald Lake Basin, Sequoia Nat. Park, CA, 184; Pine Hill, El Dorado Co., CA, 265.

Gabbro soil (see Pine Hill)

Geraniaceae (see *Geranium*)

*Geranium yeoi*, noteworthy collection from CA, 130.

*Gilia* (see *Aliciella*)

Gramineae (see Poaceae)

Grasslands (see *Holocarpha*)

*Grateloupia lanceolata*, *G. turuturu*, noteworthy collections from CA, 293.

Groundwater extraction (see Alkali meadow)

Halymeniaceae (see *Grateloupia*)

*Haplomitrium hookeri*, noteworthy collection from OR, 68.

*Hazardia orcuttii*, soil community characteristics, 237.

*Hedomea todseii*, in vitro propagation, cryopreservation and genetic analysis, 221.

Herbivory (see *Coleogyne* and *Holocarpha*)

*Hesperevax acaulis* var. *ambusticola*, noteworthy collection from CA, 212.

*Heteranthera dubia*, noteworthy collection from OR, 134.

*Hibiscus*: *H. lasiocarpus*, nomenclatural discussion, 104; *H. moscheutos*, noteworthy collection from WA, 69.

*Holocarpha macradenia*, effect of terrestrial mollusc herbivory in CA coastal prairie, 1.

Hydrophyllaceae (see Boraginaceae)

Idaho: Noteworthy collections: *Aliciella triodon*, 130; *Eriogonum palmerianum*, 131; *Prenanthes exiguus*, 130; *Pogogyne floribunda*, *Utricularia gibba*, 131.

Invasive plants: *Eucalyptus*, diversity, reproduction and potential invasiveness in CA, 155; plant community water use and invasibility of semi-arid shrublands by woody species in southern CA, 213.

Jepson, Willis, and his "Phyto-jogs", 49.

Juglandaceae (see *Juglans*)

*Juglans californica*, historical range extension, San Bernardino Co., CA, 199.

Juncaceae (see *Juncus*)

*Juncus*: *J. marginatus*, status in CA, 283.

Noteworthy collections from CA: *J. anhelatus*, 130; *J. falcatus* subsp. *sitchensis*, *J. interior*, 65; *J. nevadensis* var. *inventus*, 66; *J. planifolius*, 130.

*Juniperus californica*, historical range extension, San Bernardino Co., CA, 199.

Keys: *Hibiscus lasiocarpus* and *H. moscheutos*, 108; *Sidalcea* perennial spp in CA, 290; *Trifolium variegatum* varieties, 20.

Labiatae (see Lamiaceae)

*Lagunaria pattersoniae*, naturalized in CA, 110.

Lamiaceae: Noteworthy collections: *Ajuga reptans* from MT, 67; *Lepechinia rossii* from CA, 63; *Pogogyne floribunda* from ID, 131, and OR, 133; *Salvia brandegeei* from Mexico, 135.

Laminariales (see *Lessoniopsis* and *Pleurophycus*)

*Lavatera olbia*, *L. trimestris*, naturalized in CA, 110; *Lavatera* vs. *Malva*, 109.

Leguminosae (see Fabaceae)

Lentibulariaceae (see *Utricularia*)

*Lepechinia rossii*, noteworthy collection from CA, 63.

*Lessonia* (see *Lessoniopsis*)

*Lessoniopsis littoralis*, historical, nomenclatural and distributional notes, 112.

*Limbella fryei*, noteworthy collection from OR, 67.

Loasaceae (see *Mentzelia*)

*Malva* (see *Lavatera*)

Malvaceae: *Anoda pentaschista*, *Lagunaria pattersoniae*, *Lavatera olbia*, *L. trimestris*, naturalized in CA, 110; notes on California taxa, including nomenclatural changes and additions to the flora, 104.

New taxa: *Sidalcea asprella* subsp. *nana*, *S. calycosa* subsp. *rhizomata*, *S. celata*, *S. sparsifolia*, new combinations, 104; *S. gigantea*, new species, 285.

Noteworthy collection: *Hibiscus moscheutos*, from WA, 69.

Marchantiophyta: Haplomitriaceae (see *Haplomitrium*)

*Mentzelia congesta*, noteworthy collection from OR, 133.

*Mesoreanthus fallax*, taxonomic status, 46.

MEXICO: *Arceuthobium oaxacanum* and *A. rubrum*, 99; *Salvia brandegeei*, noteworthy collection, 135.

*Mimulus hymenophilus*, noteworthy collection from MT, 67.

Mojave Desert: *Astragalus jaegerianus*, effects of dust deposition on growth and physiology, 81; *Coleogyne ramosissima*, interactive effects of simulated herbivory and interspecific competition on seedling survival, 149; early post-fire plant establishment, 137; plant community water use and invasibility of semi-arid shrublands by woody species in southern CA, 213.

Mollusc, terrestrial (see *Holocarpha*)

- Montana: Noteworthy collections: *Achillea filipendulina*, *Ajuga reptans*, *Alliaria petiolata*, *Mimulus hymenophylloides*, *Orthocarpus tolmei*, *Papaver croceum*, *Plagiobothrys salsus*, *Symphytum molle*, 67.
- Myrtaceae (see *Eucalyptus*)
- Neosiphonia harveyi*, noteworthy collection from CA, 294.
- Nevada (see *Coleogyne*)
- New Mexico: *Hedemaria todseii*, in vitro propagation, cryopreservation and genetic analysis, 221.
- Noteworthy collection: *Boerhavia pterocarpa*, 295.
- Nyctaginaceae (see *Boerhavia*)
- Oregon: *Arctostaphylos viscida*, ecology and growth in ponderosa pine forest, 238; comparison of two fuel treatments on chaparral communities, 8; *Juncus marginatus*, status, 283.
- Noteworthy collections: *Aliciella triodon*, *Astragalus tenellus*, 132; *Collomia renata*, *Cryptantha gracilis*, 133; *Dodecatheon pulchellum*, 132; *Elatine brachysperma*, 134; *Eriogonum hookeri*, 132; *Haplopitrium hookeri*, 68; *Heteranthera dubia*, 134; *Limbella fryei*, 67; *Mentzelia congesta*, 133; *Physaria cobrensis*, 131; *Pogogyne floribunda*, 133; *Prenanthes exigua*, 131; *Trifolium leibergii*, 133.
- Orobanchaceae (see *Orthocarpus*)
- Orthocarpus tolmei*, noteworthy collection from MT, 67.
- Owens Valley, CA (see Alkali meadow)
- Papaver croceum*, noteworthy collection from MT, 67.
- Papaveraceae (see *Papaver*)
- Peltandra virginica*, noteworthy collection from WA, 68.
- Phacelia hubbyi**, elevation from *P. cicutaria* var. *hubbyi*, 205.
- Pine Hill, El Dorado Co., CA, vegetation and flora of a biodiversity hot spot, 246.
- Physaria cobrensis*, noteworthy collection from OR, 131.
- Plagiobothrys salsus*, noteworthy collection from MT, 67.
- Pleurophyucus gardneri*, historical, nomenclatural and distributional notes, 112.
- Poaceae (see *Bromus*)
- Pogogyne floribunda*, noteworthy collections from ID, 131, and OR, 133.
- Polemoniaceae (see *Aliciella* and *Collomia*)
- Pollination biology (see *Chorizanthe*)
- Polygonaceae (see *Chorizanthe* and *Eriogonum*)
- Pontederiaceae (see *Heteranthera*)
- Prenanthes exigua*, noteworthy collections from ID, 130, and OR, 131.
- President's Report for Vol. 56, 296.
- Primulaceae (see *Dodecatheon*)
- Propagation, in vitro (see *Hedemaria*)
- Prunus speciosa* and *P. × yedoensis*, noteworthy collections from CA, 64.
- Reviews: *Plant Invasions: Human Perception, Ecological Impacts and Management* eds. B. Tokarska-Guzik, et al., 60; *Systematics, Evolution and Biogeography of Compositae* by V. A. Funk, et al., 209; *The California Deserts: An Ecological Rediscovery* by Bruce M. Pavlik, 60.
- Rhodomelaceae (see *Neosiphonia*)
- Riparian systems (see *Sequoia sempervirens*)
- Root proliferation (see *Eriogonum*)
- Rosaceae: *Coleogyne ramosissima*, interactive effects of simulated herbivory and interspecific competition on seedling survival, 149.
- Noteworthy collections: From CA: *Cotoneaster frigidus*, *C. horizontalis*, *Prunus speciosa*, *P. × yedoensis* 64.
- From CO: *Cotoneaster lucidus*, *Sorbus aucuparia*, 211.
- Salvia brandegeei*, noteworthy collection from MEXICO, 135.
- Saunders, DeAlton, 112.
- Schizymenia dubyi*, noteworthy collection from CA, 64.
- Schizmeliaceae (see *Schizymenia*)
- Scirpus pendulus*, noteworthy collection from WY, 135.
- Scrophulariaceae (see *Mimulus*)
- Sequoia Nat. Park, CA, Emerald Lake Basin plant communities and floristic diversity, 184.
- Sequoia sempervirens* forests, effect of streamside revetment, 71.
- Serpentine soils, comment on zonal, intrazonal and azonal concepts, 57.
- Sidalcea*: New combinations from CA, *S. asprella* subsp. *nana*, *S. calycosa* subsp. *rhizomatata*, *S. celata*, *S. sparsifolia*, 104; new species, *S. gigantea* from CA, 285.
- Sierra Nevada (see Pine Hill and Sequoia Nat. Park)
- Sorbus aucuparia*, noteworthy collection from CO, 211.
- Sporobolus aerooides* (see Alkali meadow)
- Stream restoration (see *Sequoia sempervirens*)
- Streptanthus*: *S. barbiger* and *S. vernalis* relationship, 43; *S. oblanceolatus*, new sp. from CA, 127.
- Strother, John L., dedication of Vol. 56 to, 302.
- Subalpine flora and vegetation (see Sequoia Nat. Park)
- Symphytum molle*, noteworthy collection from MT, 67.
- Taxodiaceae (see *Sequoia sempervirens*)
- Tilden, Josephine, 112.
- Trifolium*: *T. leibergii*, noteworthy collection from OR, 133; *T. variegatum* var. *geminiflorum*, new combination, 208.
- Utricularia gibba*, noteworthy collection from ID, 131.
- Vaccinium macrocarpon*, association of *Juncus marginatus* with, 283.
- Viscaceae (see *Arceuthobium*)
- Washington: Noteworthy collections: *Dryopteris cristata*, 68; *Hibiscus moscheutos*, 69; *Peltandra virginica*, 68.
- Wyoming: Noteworthy collections: *Amphicarpaea bracteata*, *Astragalus diversifolius*, *Carex foenea*, *C. intumescens*, 134; *C. scoparia*, *Fimbristylis puberula* var. *interior*, *Scirpus pendulus*, 135.